

NAME

CURLOPT_CRLF – specify a Certificate Revocation List file

SYNOPSIS

```
#include <curl/curl.h>
```

```
CURLcode curl_easy_setopt(CURL *handle, CURLOPT_CRLF, char *file);
```

DESCRIPTION

Pass a char * to a zero terminated string naming a *file* with the concatenation of CRL (in PEM format) to use in the certificate validation that occurs during the SSL exchange.

When curl is built to use NSS or GnuTLS, there is no way to influence the use of CRL passed to help in the verification process. When libcurl is built with OpenSSL support, X509_V_FLAG_CRL_CHECK and X509_V_FLAG_CRL_CHECK_ALL are both set, requiring CRL check against all the elements of the certificate chain if a CRL file is passed.

This option makes sense only when used in combination with the *CURLOPT_SSL_VERIFYPEER(3)* option.

A specific error code (*CURLE_SSL_CRL_BADFILE*) is defined with the option. It is returned when the SSL exchange fails because the CRL file cannot be loaded. A failure in certificate verification due to a revocation information found in the CRL does not trigger this specific error.

DEFAULT

NULL

PROTOCOLS

All TLS-based protocols

EXAMPLE

TODO

AVAILABILITY

Added in 7.19.0

RETURN VALUE

Returns *CURLE_OK* if the option is supported, *CURLE_UNKNOWN_OPTION* if not, or *CURLE_OUT_OF_MEMORY* if there was insufficient heap space.

SEE ALSO

CURLOPT_SSL_VERIFYPEER(3), *CURLOPT_SSL_VERIFYHOST(3)*,